

**QUARTERLY RETURN FROM STD CLINICS IN SRI LANKA** (Revision: 31.01.2024)

Name of the STD clinic : \_\_\_\_\_

Period of the return : \_\_/\_\_/202\_\_ to \_\_/\_\_/202\_\_ (\_\_\_\_ Quarter of 202\_\_)

Return completed by (Name and designation) \_\_\_\_\_ Checked by (Name and designation) \_\_\_\_\_

Date of completion : \_\_/\_\_/202\_\_

**PART 1**

**Table 1. Total number of new diagnoses\* by age group and sex**

(Source: Main Register- 2017 or EIMS)

| No.         |  | Male <15 year | Male 15-24 year | Male 25-49 year | Male 50+ year | Male Total | Female <15 year | Female 15-24 year | Female 25-49 year | Female 50+ year | Female Total |
|-------------|--|---------------|-----------------|-----------------|---------------|------------|-----------------|-------------------|-------------------|-----------------|--------------|
| 1.1         | Newly diagnosed HIV (During this quarter)  |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.2         | Newly diagnosed HepB (During this quarter) |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.3         | Infectious syphilis                        |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.4         | Late syphilis                              |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.5         | Early Congenital Syphilis                  |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.6         | Late Congenital Syphilis                   |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.7         | Gonorrhoea and presumptive GC              |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.8         | Ophthalmia neonatorum                      |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.9         | NGU/NGC                                    |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.1         | Chlamydia                                  |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.11        | Genital herpes                             |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.12        | Genital warts                              |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.13        | Pelvic inflammatory disease (PID)          |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.14        | Trichomoniasis                             |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.15        | Candidiasis                                |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.16        | Bacterial vaginosis                        |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.17        | Other STIs                                 |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| <b>1.18</b> | <b>TOTAL STI</b>                           | <b>0</b>      | <b>0</b>        | <b>0</b>        | <b>0</b>      | <b>0</b>   | <b>0</b>        | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     |
| 1.19        | Non STI/Uncertain                          |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| 1.2         | No illness                                 |               |                 |                 |               | 0          |                 |                   |                   |                 | 0            |
| <b>1.21</b> | <b>GRAND TOTAL</b>                         | <b>0</b>      | <b>0</b>        | <b>0</b>        | <b>0</b>      | <b>0</b>   | <b>0</b>        | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     |

**Table 2. Number of clinic attendances for the quarter**  
(Sources: Main Register- 2017 & Sub visit register or EIMS)

|     |  | Male | Female | Total |
|-----|--|------|--------|-------|
| 2.1 | New patients registered  |      |        | 0     |
| 2.2 | New patients registered with STIs including HIV and HepB             |      |        | 0     |
| 2.3 | Total number of clinic visits by STD patients including HIV and HepB |      |        | 0     |
| 2.4 | Total number of visits by others*                                    |      |        | 0     |

\* Pre-employment, ANC, OPD etc

**Table 3. Reason for attendance by newly registered patients**  
(Sources: Main Register- 2017 or EIMS)

| No. |                                    | Male | Female | Total |
|-----|------------------------------------|------|--------|-------|
| 3.1 | Contact of a patient               |      |        | 0     |
| 3.2 | Voluntary                          |      |        | 0     |
| 3.3 | Referral for medico-legal purposes |      |        | 0     |
| 3.4 | Others                             |      |        | 0     |

**Table 4. Contacts for syphilis, gonorrhoea, chlamydia, and trichomoniasis**  
(Sources: Interview and Contact tracing Register or EIMS)

|     |   | Male | Female | Total |
|-----|---|------|--------|-------|
| 4.1 | Contacts of syphilis treated                  |      |        | 0     |
| 4.2 | Contacts of gonorrhoea treated                |      |        | 0     |
| 4.3 | Contacts of chlamydia treated                 |      |        | 0     |
| 4.4 | Contacts of non-gonococcal infections treated |      |        | 0     |
| 4.5 | Contacts of trichomoniasis treated            |      |        | 0     |

**Table 5. Number of patients with confirmed syphilis diagnoses completing treatment**  
(Source: Syphilis Register, EMTCT register and EIMS)

|     |  | Male | Female | Total |
|-----|--|------|--------|-------|
| 5.1 | Number of diagnosed with syphilis                |      |        | 0     |
| 5.2 | Number completed treatment (of 5.1)              |      |        | 0     |
| 5.3 | Number of pregnant women diagnosed with syphilis |      |        | 0     |
| 5.4 | Number completed treatment (of 5.3)              |      |        | 0     |

**Table 6. Number of samples tested for HIV infection (Testing laboratory :.....)**

*(Source: Laboratory Register and EIMS)*

|              |                        | Number screened for HIV (ELISA, PA, Rapid) | Number positive | Number tested by a confirmatory test, (3 tests, immuno blot or PCR) | Number of confirmatory test positives | Number tested with VDRL or RPR | Number tested with TPPA or TPHA | Number screened for Hepatitis B (Hepatitis Bs Ag by rapid or ELISA) | Number positive for Hepatitis B |
|--------------|------------------------|--|-----------------|---|---------------------------------------|--------------------------------|---------------------------------|---|---------------------------------|
| 6.1          | STD patients' samples  |  |                 |   |                                       |                                |                                 |   |                                 |
| 6.2          | Antenatal samples      |  |                 |   |                                       |                                |                                 |   |                                 |
| 6.3          | Pre-employment samples |  |                 |   |                                       |                                |                                 |   |                                 |
| 6.4          | Other samples          |  |                 |   |                                       |                                |                                 |   |                                 |
| <b>Total</b> |                        | <b>0</b>                                   | <b>0</b>        | <b>0</b>  | <b>0</b>                              | <b>0</b>                       | <b>0</b>                        | <b>0</b>  | <b>0</b>                        |

**Table 7. Number of samples tested for syphilis (Testing laboratory :.....)**

*(Source: Laboratory Register and EIMS)*

|     |  | Number |
|-----|--|--------|
| 7.1 | Number screened for cervical cytology during the quarter |        |
| 7.2 | Total number of reports received (Tested in any quarter) |        |
| 7.3 | Of them (8.2) number satisfactory for reporting          |        |
| 7.4 | Of them (8.3) number reported as CIN-1 or above          |        |

**Table 8. Key population “Reached” within the STD clinic during the quarter**

(Sources: PAP register and EIMS)

|     |                  |  | Escorted <25 y | Escorted 25+ y | Self-referral <25 y | Self-referral 25+ y |
|-----|------------------|--|----------------|----------------|---------------------|---------------------|
| 8.1 | FSW              | Newly registered                                     |                |                |                     |                     |
|     |                  | Number of newly registered and previously registered |                |                |                     |                     |
|     |                  | Outpatients (OPD basis without opening a file)       |                |                |                     |                     |
| 8.2 | MSM<br>(non TG)  | Newly registered                                     |                |                |                     |                     |
|     |                  | Number of newly registered and previously registered |                |                |                     |                     |
|     |                  | Outpatients (OPD basis without opening a file)       |                |                |                     |                     |
| 8.3 | Transgender      | Newly registered                                     |                |                |                     |                     |
|     |                  | Number of newly registered and previously registered |                |                |                     |                     |
|     |                  | Outpatients (OPD basis without opening a file)       |                |                |                     |                     |
| 8.4 | Beach boys       | Newly registered                                     |                |                |                     |                     |
|     |                  | Number of newly registered and previously registered |                |                |                     |                     |
|     |                  | Outpatients (OPD basis without opening a file)       |                |                |                     |                     |
| 8.5 | Male IDU         | Newly registered                                     |                |                |                     |                     |
|     |                  | Number of newly registered and previously registered |                |                |                     |                     |
|     |                  | Outpatients (OPD basis without opening a file)       |                |                |                     |                     |
| 8.6 | Female IDU       | Newly registered                                     |                |                |                     |                     |
|     |                  | Number of newly registered and previously registered |                |                |                     |                     |
|     |                  | Outpatients (OPD basis without opening a file)       |                |                |                     |                     |
| 8.7 | Male prisoners   | Number of prisoners                                  |                |                |                     |                     |
| 8.8 | Female prisoners | Number of prisoners                                  |                |                |                     |                     |

**Table 9 No. of new KPs tested for HIV by STD clinic staff and staff of KP unit within STD clinic or by outreach events\* during the quarter**

*(Sources: Main Register- 2017, EIMS, KP unit registers or PIMS)*

|     |                  | Total tested for HIV by STD_outreach <25 y | Total tested for HIV by STD_outreach >=25 y | Received positive resultsby STD_outreach <25 y | Received positive results_by STD_outreach >=25 y | Received negative results by STD_outreach <25 y | Received negative results by STD_outreach >=25 y | Total tested for HIV by KPU_outreach <25 y | Total tested for HIV by KPU_outreach >=25 y | Received positive results by STD_outreach <25 y | Received positive results_by STD_outreach >=25 y | Received negative results by KPU_outreach <25 y | Received negative results by KPU_outreach >=25 y |
|-----|------------------|--|---|--|--|---|--|--|---|---|--|---|--|
| 9.1 | FSW              |  |   |  |  |   |  |  |   |   |  |   |  |
| 9.2 | MSM (non TG)     |  |   |  |  |   |  |  |   |   |  |   |  |
| 9.3 | Transgender      |  |   |  |  |   |  |  |   |   |  |   |  |
| 9.4 | Beach boys       |  |   |  |  |   |  |  |   |   |  |   |  |
| 9.5 | Male IDU         |  |   |  |  |   |  |  |   |   |  |   |  |
| 9.6 | Female IDU       |  |   |  |  |   |  |  |   |   |  |   |  |
| 9.7 | Male prisoners   |  |   |  |  |   |  |  |   |   |  |   |  |
| 9.8 | Female prisoners |  |   |  |  |   |  |  |   |   |  |   |  |
| 9.9 | Others           |  |   |  |  |   |  |  |   |   |  |   |  |

**Table 10. Number of STI diagnoses among Key populations and pregnant women who attended the STD clinic during the quarter**

*(Sources: Main Register- 2017 or EIMS)*

|       |  | FSW | Female IDU | Female prisoners | TGW | MSM | Male IDU | Beach boys | Male prisoners | Pregnant Mothers |
|-------|--|-----|------------|------------------|-----|-----|----------|------------|----------------|------------------|
| 10.1  | Newly diagnosed HIV (During this quarter)  |     |            |                  |     |     |          |            |                |                  |
| 10.2  | Newly diagnosed HepB (During this quarter) |     |            |                  |     |     |          |            |                |                  |
| 10.3  | Infectious syphilis                        |     |            |                  |     |     |          |            |                |                  |
| 10.4  | Late syphilis                              |     |            |                  |     |     |          |            |                |                  |
| 10.5  | Gonorrhoea and presumptive GC              |     |            |                  |     |     |          |            |                |                  |
| 10.6  | NGU/NGC                                    |     |            |                  |     |     |          |            |                |                  |
| 10.7  | Chlamydia                                  |     |            |                  |     |     |          |            |                |                  |
| 10.8  | Genital herpes                             |     |            |                  |     |     |          |            |                |                  |
| 10.9  | Genital warts                              |     |            |                  |     |     |          |            |                |                  |
| 10.1  | Trichomoniasis                             |     |            |                  |     |     |          |            |                |                  |
| 10.11 | Other STDs                                 |     |            |                  |     |     |          |            |                |                  |

**Table 11: Number of HIV RDT (1,2,3), HIVST, Duo, condom and lubricants utilised or distributed by the STD clinic and KP unit during the quarter**

*(Source: STD clinic RDT and HIVST testing registers and KP unit registers and EIMS)*

|                                    | HIVST | Duo Test | HIV RDT-1 | HIV RDT-2 | HIV RDT-3 | Hep B RDT | Hep C RDT | Male condoms | Female condoms | Lubricants |
|------------------------------------|-------|----------|-----------|-----------|-----------|-----------|-----------|--------------|----------------|------------|
| 11.1 Female sex workers            |       |          |           |           |           |           |           |              |                |            |
| 11.2 MSM (including MSW)           |       |          |           |           |           |           |           |              |                |            |
| 11.3 Transgender                   |       |          |           |           |           |           |           |              |                |            |
| 11.4 Beach boys                    |       |          |           |           |           |           |           |              |                |            |
| 11.5 PWID – Male                   |       |          |           |           |           |           |           |              |                |            |
| 11.6 PWID – Female                 |       |          |           |           |           |           |           |              |                |            |
| 11.7 Prisoners – Male              |       |          |           |           |           |           |           |              |                |            |
| 11.8 Prisoners – Female            |       |          |           |           |           |           |           |              |                |            |
| 11.9 Others - STD clinic attendees |       |          |           |           |           |           |           |              |                |            |

**Table 12: Number of HIV RDT/HIVST/Duo utilised or distributed by place of testing**

*(Source: STD clinic RDT and HIVST testing registers and EIMS)*

|                              | HIVST | Duo Test | HIV RDT-1 | HIV RDT-2 | HIV RDT-3 | Number confirmed positive persons | Hep B RDT | Hep C RDT |
|------------------------------|-------|----------|-----------|-----------|-----------|-----------------------------------|-----------|-----------|
| 12.1 STD clinic attendees    |       |          |           |           |           |                                   |           |           |
| 12.2 Antenatal in STD clinic |       |          |           |           |           |                                   |           |           |
| 12.3 Pre-employment          |       |          |           |           |           |                                   |           |           |
| 12.4 MOH                     |       |          |           |           |           |                                   |           |           |
| 12.5 Hospital-based testing  |       |          |           |           |           |                                   |           |           |
| 12.6 GPs                     |       |          |           |           |           |                                   |           |           |
| 12.7 Migrant returnees       |       |          |           |           |           |                                   |           |           |
| 12.8 Prison testing          |       |          |           |           |           |                                   |           |           |
| 12.9 Others (PEP/OPD)        |       |          |           |           |           |                                   |           |           |

**Table 13: HIV and syphilis tests performed by private laboratories in the area of STD clinic (No of private laboratories.....) -Due to the unavailability of the PHI, unable to capture this data**

*(Source: Private laboratory HIV and syphilis testing reports)*

|                                   | Male | Female | Total |
|-----------------------------------|------|--------|-------|
| 13.1 No. HIV screening tests done |      |        | 0     |
| 13.2 No. HIV screening positive   |      |        | 0     |
| 13.3 No. sent for confirmation    |      |        | 0     |
| 13.4 No VDRL tests done           |      |        | 0     |

|      |                         |  |  |   |
|------|-------------------------|--|--|---|
| 13.5 | No VDRL positive        |  |  | 0 |
| 13.6 | No TPPA/TPHA tests done |  |  | 0 |
| 13.7 | No TPPA/TPHA positive   |  |  | 0 |
| 13.8 | No HbsAg tests done     |  |  | 0 |
| 13.9 | No HbsAg positive       |  |  | 0 |
| 13.1 | No Hep B confirmed      |  |  | 0 |

**Table 14. Details of HIV post exposure prophylaxis (PEP) services provided during this quarter**

*(Source: PEP Register and EIMS)*

|      |   | Number  |
|------|---|---|
| 14.1 | Number of clients who attended for PEP services |   |
| 14.2 | Of them (14.1) number started on PEP            |   |
| 14.3 | Of them (14.2) number                           | PEP 28 days completed                           |
|      |   | Stopped before 28 days (due to medical reasons) |
|      |   | Still on PEP                                    |
|      |   | Defaulted                                       |
| 14.4 | Number came for screening after 3 months        |   |
| 14.5 | Of them (14.4) number became positive for HIV   |   |

**Table 15. Details of HIV Post Exposure Prophylaxis Following Sexual Exposure (PEPSE) services provided during this quarter**

*(Source: PEPSE Register or EIMS)*

|      |   | Number  |
|------|---|---|
| 15.1 | Number of clients who attended for PEPSE services |   |
| 15.2 | Of them (15.1) number started on PEPSE            |   |
| 15.3 | Of them (15.2) number                             | PEPSE 28 days completed                         |
|      |   | Stopped before 28 days (due to medical reasons) |
|      |   | Still on PEPSE                                  |
|      |   | Defaulted                                       |
| 15.4 | Number came for screening after 3 months          |   |
| 15.5 | Of them (15.4) number became positive for HIV     |   |

**Table 16. Details of HIV Pre Exposure Prophylaxis (PrEP) services provided during this quarter**

*(Source: PrEP Register or EIMS)*

|      |  | Age 15-19 years | Age 20-24 yrs | Age 25-49 yrs | Age 50+ yrs |
|------|--|-----------------|---------------|---------------|-------------|
| 16.1 | Male   |                 |               |               |             |
| 16.2 | Female   |                 |               |               |             |
| 16.3 | Transgender  |                 |               |               |             |
| 16.4 | Number of people who received any PrEP product for the first time in their lives during the reporting period |                 |               |               |             |

**Table 17. Stock balance of condoms, lubricants and HIV test kits**

*(Sources: Laboratory or pharmacy registers/EIMS/PIMS)*

|      |                                  | Number at beginning of quarter | Number received during quarter | Number issued during quarter | Number at end of quarter |
|------|----------------------------------|--------------------------------|--------------------------------|------------------------------|--------------------------|
| 17.1 | Number of male condoms           | 0                              |                                |                              | 0                        |
| 17.2 | Number of female condoms         | 0                              |                                |                              | 0                        |
| 17.3 | Number of lubricants             | 0                              |                                |                              | 0                        |
| 17.4 | Number of HIV RDT-1              | 0                              |                                |                              | 0                        |
| 17.5 | Number of HIV RDT-2              | 0                              |                                |                              | 0                        |
| 17.6 | Number of HIV RDT-3              | 0                              |                                |                              | 0                        |
| 17.7 | Number of HIVST (self-test kits) | 0                              |                                |                              | 0                        |
| 17.8 | Number of Duo Tests              | 0                              |                                |                              | 0                        |
| 17.9 | Number of Hep B RDT              | 0                              |                                |                              | 0                        |
| 17.1 | Number of Hep C RDT              | 0                              |                                |                              | 0                        |

**Table 18. Type of IEC/BCC, awareness & advocacy programmes**

*(Source: IEC/BCC Register)*

|              |                         | Type of programme   | Number of programmes | Approximate number of participants |
|--------------|-------------------------|---------------------|----------------------|------------------------------------|
| 18.1         | <b>By Program type:</b> | Lectures            |                      |                                    |
| 18.2         |                         | Exhibitions         |                      |                                    |
| 18.3         |                         | Workshops           |                      |                                    |
| 18.4         |                         | Other (Specify)     |                      |                                    |
| <b>Total</b> |                         |                     | <b>0</b>             | <b>0</b>                           |
| 18.5         | <b>By Population:</b>   | Female sex workers  |                      |                                    |
| 18.6         |                         | MSM (including MSW) |                      |                                    |



|              |   |          |          |
|--------------|---|----------|----------|
| 18.7         | Transgender   |          |          |
| 18.8         | Drug users  |          |          |
| 18.9         | Beach boys  |          |          |
| 18.1         | Prisoners   |          |          |
| 18.11        | Other (Specify) - MOH inservice, Police, Youth corp |          |          |
| <b>Total</b> |   | <b>0</b> | <b>0</b> |

**Table 19. Training and capacity building of healthcare workers(HCW) by STD clinic staff**

*(Source: Training register)*

|   |        | Type of HCW                    | Number of programmes | Number of participants |
|---|--------|--------------------------------|----------------------|------------------------|
| <b>A. STD clinic staff (pre-service &amp; in-service)</b> | 19.A1  | Medical officers               |                      |                        |
|   | 19.A2  | Nursing officers/PHNS          |                      |                        |
|   | 19.A3  | PHI                            |                      |                        |
|   | 19.A4  | Laboratory staff               |                      |                        |
|   | 19.A5  | Supportive staff               |                      |                        |
|   | 19.A6  | Other                          |                      |                        |
| <b>B. Other Health staff</b>                              | 19.B1  | Medical officers               |                      |                        |
|   | 19.B2  | Nursing officers/PHNS          |                      |                        |
|   | 19.B3  | PHI                            |                      |                        |
|   | 19.B4  | Laboratory staff               |                      |                        |
|   | 19.B5  | Supportive staff               |                      |                        |
|   | 19.B6  | Other - MOH inservice training |                      |                        |
| <b>C. Undergraduate/ basic HCW trainees</b>               | 19.C1  | Medical students               |                      |                        |
|   | 19.C2  | Nursing officers/PHNS          |                      |                        |
|   | 19.C3  | PHI                            |                      |                        |
|   | 19.C4  | Laboratory staff               |                      |                        |
|   | 19.C5  | Other                          |                      |                        |
| <b>D. Postgraduate/ Post basic HCW trainees</b>           | 19.D1  | Venereology                    |                      |                        |
|   | 19.D2  | Other medical specialities     |                      |                        |
|   | 19.D3  | Nursing officers               |                      |                        |
|   | 19.D4  | Other                          |                      |                        |
| <b>E. Other staff</b>                                     | 19.E.1 | NGO staff (MA, OW etc.)        |                      |                        |
|   | 19.E.2 | Peer educators                 |                      |                        |
|   | 19.E.3 | Other - Youth corp             |                      |                        |

## PART 2

Part 2 should be filled only by STD clinics with having NGO/CBO/KP led KP units

**Table 20: No. of new physical \*reach of KPs by the KP unit during this quarter by age, during this year**  
(Sources: KP unit register or PIMS)

| #    | Indicator  | FSW |     | MSM |     | TGW |     | BB  |     | PWID - Male |     | PWID - Female |     | Prison* Male |     | Prison* Female |     |
|------|--|-----|-----|-----|-----|-----|-----|-----|-----|-------------|-----|---------------|-----|--------------|-----|----------------|-----|
|      |  | <25 | ≥25 | <25 | ≥25 | <25 | ≥25 | <25 | ≥25 | <25         | ≥25 | <25           | ≥25 | <25          | ≥25 | <25            | ≥25 |
| 20.1 | Number of clients registered with the KP unit (physically by PE)   |     |     |     |     |     |     |     |     |             |     |               |     |              |     |                |     |
| 20.2 | Number clients reached with HIV prevention programmes with defined package of services [1].( Physical reach) |     |     |     |     |     |     |     |     |             |     |               |     |              |     |                |     |
| 20.3 | Number of IEC material distributed among clients   |     |     |     |     |     |     |     |     |             |     |               |     |              |     |                |     |
| 20.4 | Tested for HIV and results received by KPs   |     |     |     |     |     |     |     |     |             |     |               |     |              |     |                |     |

\* - Conducted by Prison staff

**Table 21 No. of new KPs tested for HIV by NGO/CBO/KP led (KP unit) within STD clinic or by outreach events\* during the quarter**  
(Sources: KP unit register or PIMS)

|      |              | HIV testing by KP unit within STD clinic or by outreach events |       |                  |       |          |       |
|------|--------------|--|-------|------------------|-------|----------|-------|
|      |              | Tested for HIV   |       | Received results |       |          |       |
|      |              |  |       | Positive         |       | Negative |       |
|      |              | <25 y  | >25 y | <25 y            | >25 y | <25 y    | >25 y |
| 21.1 | FSW          |  |       |                  |       |          |       |
| 21.2 | MSM (non-TG) |  |       |                  |       |          |       |
| 21.3 | Transgender  |  |       |                  |       |          |       |
| 21.4 | Beach boys   |  |       |                  |       |          |       |
| 21.5 | Male IDU     |  |       |                  |       |          |       |
| 21.6 | Female IDU   |  |       |                  |       |          |       |

|      |                    |  |  |  |  |  |  |
|------|--------------------|--|--|--|--|--|--|
| 21.7 | Prison* - Male     |  |  |  |  |  |  |
| 21.8 | Prison* - Female   |  |  |  |  |  |  |
| 21.9 | Other (e.g.DU etc) |  |  |  |  |  |  |

**PART 3**

**Table 22: Virtual reach by NGO/CBO/K led programs (KP unit) by mobile phone Apps (except Know4sure) during this quarter by age**  
*(Sources: KP unit register or PIMS)*

| #    | Indicator   | FSW |     | MSM |     | TGW |     | BB  |     | PWID - Male |     | PWID - Female |     |
|------|---|-----|-----|-----|-----|-----|-----|-----|-----|-------------|-----|---------------|-----|
|      |   | <25 | ≥25 | <25 | ≥25 | <25 | ≥25 | <25 | ≥25 | <25         | ≥25 | <25           | ≥25 |
| 22.1 | Number of clients virtually registered by OOW   |     |     |     |     |     |     |     |     |             |     |               |     |
| 22.2 | Of them (23.1) Number clients virtually reached with at least one HIV service [1]. (Virtually by OOW) |     |     |     |     |     |     |     |     |             |     |               |     |
| 22.3 | Number of clients educated on STI/HIV   |     |     |     |     |     |     |     |     |             |     |               |     |
| 22.4 | Number clients provided condoms and/or lubricants   |     |     |     |     |     |     |     |     |             |     |               |     |
| 22.5 | Number clients provided HIV self-test kits  |     |     |     |     |     |     |     |     |             |     |               |     |
| 22.6 | Tested for HIV and results received by KPs  |     |     |     |     |     |     |     |     |             |     |               |     |

**Table 23: Virtual reach by KP unit Know4sure.lk during this quarter by age**  
*(Sources: know4sure.lk website)*

| #    | Indicator  | FSW |     | MSM |     | TGW |     | BB  |     | PWID - Male |     | PWID - Female |     |
|------|--|-----|-----|-----|-----|-----|-----|-----|-----|-------------|-----|---------------|-----|
|      |  | <25 | ≥25 | <25 | ≥25 | <25 | ≥25 | <25 | ≥25 | <25         | ≥25 | <25           | ≥25 |
| 23.1 | Number of clients virtually registered by Know4sure.lk   |     |     |     |     |     |     |     |     |             |     |               |     |
| 23.2 | Of them (24.1) Number clients virtually reached with at least one HIV service [1]. (Virtually by OOW using Know4sure.lk) |     |     |     |     |     |     |     |     |             |     |               |     |
| 23.3 | Number of clients educated on STI/HIV  |     |     |     |     |     |     |     |     |             |     |               |     |
| 23.4 | Number clients provided condoms and/or lubricants  |     |     |     |     |     |     |     |     |             |     |               |     |
| 23.5 | Number clients provided HIV self-test kits   |     |     |     |     |     |     |     |     |             |     |               |     |
| 23.6 | Tested for HIV and results received by KPs   |     |     |     |     |     |     |     |     |             |     |               |     |

**Table 24: Virtual HIV self-testing by online outreach workers during this quarter by age**  
*(Sources: KP unit register, PIMS and know4sure.lk)*

|      |               | HIV testing by STD clinic staff within STD clinic or by outreach events |      |                  |      |          |       |
|------|---------------|---|------|------------------|------|----------|-------|
|      |               | Tested for HIV  |      | Received results |      |          |       |
|      |               |   |      | Positive         |      | Negative |       |
|      |               | <25y  | >25y | <25 y            | >25y | <25y     | >25 y |
| 24.1 | FSW           |   |      |                  |      |          |       |
| 24.2 | MSM (non TG)  |   |      |                  |      |          |       |
| 24.3 | Transgender   |   |      |                  |      |          |       |
| 24.4 | Beach boys    |   |      |                  |      |          |       |
| 24.5 | Male DU/IDU   |   |      |                  |      |          |       |
| 24.6 | Female DU/IDU |   |      |                  |      |          |       |

**Instructions:**

- Quarterly return should be prepared by 20th of the following month after each quarter.
- Duly completed returns should be sent to Director, National STD/AIDS Control Programme, (c/o SIM Unit), 29, De Saram place, Colombo 10.
- Electronic copies can be emailed to [nsacp.sim@gmail.com](mailto:nsacp.sim@gmail.com) or via fax to 011 2665277
- Always to keep a copy of the return at the STD clinic for local use and future references.